

Using NCBI RefSeq Functional Elements to interpret molecular effects ASHG WETURE 2020 CTOBER 27-30



of genetic variation in human coronavirus entry gene regulatory regions

Catherine M. Farrell, Terence D. Murphy, and the RefSeq Curation and Development Team


National Center for Biotechnology Information (NCBI), National Library of Medicine, National Institutes of Health, Bethesda, MD 20894, USA

Abstract

The human non-coding genome contains many regulatory elements linked to disease-associated genetic variation but identifying those regions and assessing molecular effects of variation within them is difficult. Consequently, variant interpretation has heavily focused on variants located within genes, particularly within coding regions. The COVID-19 pandemic has drawn attention to the human genes associated with SARS-CoV-2 infection, including genes directly associated with SARS-CoV-2 entry, e.g. ACE2 encoding the spike protein receptor or TMPRSS2 encoding a protease that facilitates viral entry, and genes known to be associated with other coronavirus infections. Because these genes and their regulatory regions are of interest for COVID-19 prognosis, NCBI has prioritized annotation of their experimentally validated regulatory regions in the RefSeq Functional Elements dataset (www.ncbi.nlm.nih.gov/refseq/functionalelements/), as recently announced. We provide richly annotated RefSeq records and descriptive Gene database records for these elements (query: coronavirus related[filter] AND genetype biological region[prop]), with annotated features including promoters, enhancers, protein binding sites, among others. Each annotated feature contains concise functional and experimental evidence with links to publications. The dataset is available for FTP download and can be viewed in multiple genome browsers via a track hub (RefSeqFE Hub) that includes regulatory element-to-target gene linkages in bigInteract format. In addition to providing insights into regulatory mechanisms for these genes, these annotations can be used to identify and interpret regulatory variants, either by graphical display of views with custom variation data or by computational means. We overlapped this focused set of regulatory elements with variants from the dbSNP, dbVar, ClinVar and GWAS Catalog databases, and found thousands of variants of potential interest to COVID-19 research, including ABO intronic variants recently shown to be associated with COVID-19 severity by GWAS (PMID:32558485). In many cases the functional metadata from our feature annotation could inform the molecular effects of overlapping variants, including at transcription factor binding sites and other critical regulatory regions. A similar approach can also be applied to variants associated with other human diseases, whereby RefSeg Functional Elements link regulatory variants to the experimental literature to uncover molecular effects of genetic variation.

RefSeg Functional Elements workflow Published FTP experimental data **Functional Element** download from PubMed sequence in NCBI's Nucleotide database Query: coronavirus related[prop] RefSeg curation of Use in NCBI Export to AND biomol genomic[prop] known functional genome elements browsers. FTP annotation **Functional Flement** record in NCBI's Gene www.ncbi.nlm.nih.gov/refseq/functionalelements/#Access via Track Hub Published database Link to target experimental data genes and RefSegFE Hub Query: coronavirus related[filter] each other from LitCovid view of ABO AND genetype biological region[prop] gene regulatory Data access details at: www.ncbi.nlm.nih.gov/refseq/functionalelements/#Data Access interactions

Coronavirus-related data and statistics



TMPRSS2 Examples:

1. LOC112679198, ABO +5.8 intron 1 enhancer, which overlaps 15 severe COVID-19 risk variants from the PMID:32558485 GWAS (95% credible subset); see variant overlap graph

38%

- 2. LOC117134604, TMPRSS2 promoter region, which includes a G-quadruplex that binds anti-viral small molecule drugs (PMID:32376987)
- 3. LOC117134608, TMPRSS2 androgen receptor-responsive -13 kb enhancer, which has an AR binding site SNP (rs8134378) that affects enhancer activity (PMID:24109594); shown below

Data graphical displays

www.ncbi.nlm.nih.gov/refseq/functionalelements/#Access via NCBI Graphical Displays



Coming soon!

Annotation of regulatory elements for additional coronavirus host genes A RefSeg Functional Elements publication

our coronavirus host

regions, including 15

associated variants

Our functional and

experimental feature

metadata can be used

to interpret variants

and design

further

experiments for

characterization

gene regulatory

known COVID-19-

Nothina to Disclose

Have questions or suggestions?

70

60

50

40

20

%